



GOVERNMENT OF KERALA

Abstract

Disaster Management Department – Kerala Flood 2018 - Fixing flood marking plates for permanent marking of highest flood line in flood affected Government Buildings, electric poles, Local Self Government buildings, Schools, Hospitals, Public Libraries, Public Sector Undertakings and buildings of Government Aided Institutions – Sanctioned - Orders issued.

DISASTER MANAGEMENT (A) DEPARTMENT

G.O.(Rt)No. 483/2018/DMD

Dated, Thiruvananthapuram, 05/09/2018

Read:- Note No.DM/938/2018/SDMA dated 31/08/2018 from the Additional Chief Secretary, Disaster Management Department.

ORDER

The Kerala State Disaster Management Authority has resolved to fix flood marking plates for permanent marking of highest flood line in flood affected Government buildings, electric poles, Local Self Government buildings, Schools, Hospitals, Public Libraries, Public Sector Undertakings and buildings of Government Aided Institutions.

2) The Government are pleased to order that all Government Departments, Local Self Government Institutions, Public Sector Undertakings, Government Aided Institutions, Kerala State Electricity Board Ltd., Schools, Hospitals and Public Libraries shall fix flood marking plates for permanent marking of highest flood line in flood affected Government Buildings, electric poles, Local Self Government Buildings, Schools, Hospitals, Public Libraries, buildings of Public Sector Undertakings and buildings of Government Aided Institutions indicating the maximum attained water level from the ground level of the structure/building with date of the flood inscribed in it.

3) The flood marking plate shall be placed at the maximum flood water level that the specific structure/building was impacted. The flood marking plate shall contain the following information 1) maximum water level in meters as measured from the ground level of the building/structure and 2) the date that the flood water reached the maximum water level. A standard template for the plate is attached as follows.

<p>2018ലെ വെള്ളപ്പൊക്കം (Kerala Flood 2018)</p> <p>_____ മീറ്റർ (Meters)</p> <p>_____ തീയതി (Date)</p>
--

4) The District Collectors shall direct all concerned Officers to ensure compliance to this within two weeks from the date of this order. The District Collectors shall book

